JOURNAL OF BIOMEDICAL MATERIALS RESEARCH

Volume 36 Contents 1997

July 1997
Volume 36
Issue No. 1

1 Ectopic Bone Formation by Marrow Stromal Osteoblast Transplantation Using Poly (DL-lactic-*co*-glycolic acid) Foams Implanted into the Rat Mesentery
S. L. Ishaug-Riley, G. M. Crane, A. Gurlek, M. J. Miller, A. W. Yasko, M. J. Yaszemski, and A. G. Mikos

9 Effect of Electrochemically Deposited Apatite Coating on Bonding of Bone to the HA-G-Ti Composite and Titanium
S. Ban, S. Maruno, N. Arimoto, A. Harada, and J. Hasegawa

17 Bone Formation by Three-Dimensional Stromal Osteoblast Culture in Biodegradable Polymer Scaffolds
S. L. Ishaug, G. M. Crane, M. J. Miller, A. W. Yasko, M. J. Yaszemski, and A. G. Mikos

29 Plasma Surface Modification of Artificial Corneas for Optimal Epithelialization
R. Latkany, A. Tsuk, M.-S. Sheu, I.-H. Loh, and V. Trinkhaus–Randall

39 Intramedullary Implant of Plasma-Sprayed Hydroxyapatite Coating: An Interface Study
C. Y. Yang, B. C. Wang, T. M. Lee, E. Chang, and G. L. Chang

49 Influence of ePTFE Polymer Implant Permeability on the Rate and Density of Corneal Extracellular Matrix Synthesis
J.-M. Legeais, I. Drubaix, B. Briat, M. Savoldelli, M. Ménasche, L. Robert, G. Renard, and Y. Pouliquen

55 Healing of Gaps Around Calcium Phosphate-Coated Implants in Trabecular Bone of the Goat
J. A. M. Clemens, C. P. A. T. Klein, R. J. B. Sakkers, W. J. A. Dhert, K. de Groot, and P. M. Rozing

65 Development of Degradable Polyesterurethanes for Medical Applications: *In Vitro* and *In Vivo* Evaluations
B. Saad, T. D. Hirt, M. Welti, G. K. Uhlschmid, P. Neuenschwander, and U. W. Suter

75 Mechanical and Histologic Evaluation of Ca-P Plasma-Spray and Magnetron Sputter-Coated Implants in Trabecular Bone of the Goat
J. E. G. Hulshoff, T. Hayakawa, K. van Dijk, A. F. M. Leijdekkers-Govers, J. P. C. M. van der Waerden, and J. A. Jansen

85 Influence of Substrate Material and Surface Finishing on the Morphology of the Calcium-Phosphate Coating
E. Leitão, M. A. Barbosa, and K. de Groot

91 Stereomorphologic Observation of Bone Tissue Response to Hydroxyapatite Using SEM With the EDTA-KOH Method
T.-C. Lin, C.-Y. Su, and C.-S. Chang

99 Correlation Between Substratum Roughness and Wettability, Cell Adhesion, and Cell Migration
M. Lampin, R. Warocquier-Clérout, C. Legris, M. Degrange, and M. F. Sigot-Luizard

109 The Influence of Alkali and Alkaline Earths on the Working Range for Bioactive Glasses
M. Brink

119 Radiochemical Studies on Contact Lens Soilation. I. Lens Uptake of ^{14}C-Lysozyme from Simple and Complex Artificial Tear Solutions
M. D. Prager and R. P. Quintana

125 Crystal Dissolution-Controlled Release Systems. II. Metronidazole Release from Semicrystalline Poly(vinyl alcohol) Systems
S. K. Mallapragada, N. A. Peppas, and P. Colombo

131 Early Bone Formation Around Calcium-Ion-Implanted Titanium Inserted into Rat Tibia
T. Hanawa, Y. Kamiura, S. Yamamoto, T. Kohgo, A. Amemiya, H. Ukai, K. Murakami, and K. Asaoka

August 1997
Volume 36
Issue No. 2

137 Glass Peek Composite Promotes Proliferation and Osteocalcin Production of Human Osteoblastic Cells
T. W. Lin, A. A. Corvelli, C. G. Frondoza, J. C. Roberts, and D. S. Hungerford

145 Effect of Ni Ions on Expression of Intercellular Adhesion Molecule 1 by Endothelial Cells
J. C. Wataha, Z. L. Sun, C. T. Hanks, and D. N. Fang

152 Quantitative Comparison of Shear-Dependent *Staphylococcus aureus* Adhesion to Three Polyurethane Ionomer Analogs with Distinct Surface Properties
R. B. Dickinson, J. A. Nagel, R. A. Proctor, and S. L. Cooper

163 A New Anti-Infective Collagen Dressing Containing Antibiotics
J. Grzybowski, W. Kołodziej, E. A. Trafny, and J. Strużyna

167 Porous Bioactive Glass and Hydroxyapatite Ceramic Affect Bone Cell Function *In Vitro* Along Different Time Lines
A. El-Ghannam, P. Ducheyne, and I. M. Shapiro

181 Reduced Protein Adsorption on Plastics via Direct Plasma Deposition of Triethylene Glycol Monoallyl Ether
D. Beyer, W. Knoll, H. Ringsdorf, J.-H. Wang, R. B. Timmons, and P. Sluka

190 Effect of Methacrylic Acid:Methyl Methacrylate Monomer Ratios on Polymerization Rates and Properties of Polymethyl Methacrylates
T. Chen and R. P. Kusy

200 Development and Characterization of an Alginate-Impregnated Polyester Vascular Graft
J. H. Lee, W. G. Kim, S. S. Kim, J. H. Lee, and H. B. Lee

209 Molecular Orbital Models of Ring Expansion Mechanisms in the Silica–Carbon Monoxide System
J. K. West, A. B. Brennan, A. E. Clark, and L. L. Hench

216 Reduced Plaque Accumulation on Hydrocarbon Thin Film Deposited on Restorative Acrylic Polymers
M. Bellanda, C. Cassinelli, and M. Morra

223 The Effect of Hard Segment Size on the Hydrolytic Stability of Polyether-urea-urethanes when Exposed to Cholesterol Esterase
J. P. Santerre and R. S. Labow

233 Variations in Solution Chemistry During Calcium-Deficient and Stoichiometric Hydroxyapatite Formation from $CaHPO_4 \cdot 2H_2O$ and $Ca_4(PO_4)_2O$
K. S. TenHuisen and P. W. Brown

242 Effect of Water Vapor Pressure and Temperature on the Amorphous-to-Crystalline HA Conversion During Heat Treatment of HA Coatings
W. Tong, J. Chen, Y. Cao, L. Lu, J. Feng, and X. Zhang

246 *In Vivo* Biocompatibility and Biostability of Modified Polyurethanes
A. B. Mathur, T. O. Collier, W. John Kao, M. Wiggins, M. A. Schubert, A. Hiltner, and J. M. Anderson

258 Association of Human Growth Hormone and Calcium Phosphate by Dynamic Compaction: *In Vitro* Biocompatibility and Bioactivity
J. Guicheux, D. Heymann, M. Trécant, H. Gautier, A. Faivre, and G. Daculsi

265 Assessment of Bioactivity for Orthopedic Coatings in a Gap-Healing Model
R. J. B. Sakkers, R. A. J. Dalmeyer, R. Brand, P. M. Rozing, and C. A. van Blitterswijk

274 Factors Influencing Stability at the Interface Between a Porous Surface and Cancellous Bone: A Finite Element Analysis of a Canine *In Vivo* Micromotion Experiment
B. S. Ramamurti, T. E. Orr, C. R. Bragdon, J. D. Lowenstein, M. Jasty, and W. H. Harris

281 Announcements

September 1, 1997
Volume 36
Number 3

283 NIH Biomaterials and Medical Implant Science Coordinating Committee
J. T. Watson

284 Glutaraldehyde-Containing Dentin Bonding Agents are Mutagens in Mammalian Cells *In Vitro*
H. Schweikl and G. Schmalz

289 CD62, Thromboxane B2, and Beta-Thromboglobulin: A Comparison between Different Markers of Platelet Activation after Contact with Biomaterials
E. Cenni, D. Granchi, E. Verri, D. Cavedagna, S. Gamberini, G. Falsone, and A. Pizzoferrato

295 Development of Tricalcium Phosphate/Amylopectin Paste Combined with Recombinant Human Transforming Growth Factor Beta 1 as a Bone Defect Filler
B. Ongpipattanakul, T. Nguyen, T. F. Zioncheck, R. Wong, G. Osaka, L. DeGuzman, W. P. Lee, and L. Steven Beck

306 Effects of Magnesium on the Formation of Calcium-Deficient Hydroxyapatite from $CaHPO_4 \cdot 2H_2O$ and $Ca_4(PO_4)_2O$
K. S. TenHuisen and P. W. Brown

315 Osseointegration in Cortical Sheep Bone of Calcium Phosphate Implants Evaluated by PIXE Method and Histology
F. Braye, G. Weber, J. L. Irigaray, and P. Frayssinet

325 Adhesion of Bacteria to Stainless Steel and Silver-Coated Orthopedic External Fixation Pins
M. A. Wassall, M. Santin, C. Isalberti, M. Cannas, and S. P. Denyer

331 Evaluation of Cellular Proliferation on Collagenous Membranes
P. Pellen-Mussi, P. Fravalo, M. Guigand, and M. Bonnaure-Mallet

337 Long-Term Evaluation of Degradation and Foreign-Body Reaction of Subcutaneously Implanted Poly (DL-lactide-ϵ-caprolactone)
W. F. A. den Dunnen, P. H. Robinson, R. van Wessel, A. J. Pennings, M. B. M. van Leeuwen, and J. M. Schakenraad

347 Culture Materials Affect *Ex Vivo* Expansion of Hematopoietic Progenitor Cells
J. A. Laluppa, T. A. McAdams, E. Terry Papoutsakis, and W. M. Miller

360 Effect of *In Vivo* and *In Vitro* Degradation on Molecular and Mechanical Properties of Various Low-Molecular-Weight Polylactides
P. Mainil-Varlet, R. Curtis, and S. Gogolewski

381 Biocompatibility of Alumina Ceramic and Polyethylene as Materials for Pivot Bearings of a Centrifugal Blood Pump
Y. Takami, T. Nakazawa, K. Makinouchi, J. Glueck, and Y. Nosé

387 Mechanism of Adsorption of Human Albumin to Titanium *In Vitro*
A. Klinger, D. Steinberg, D. Kohavi, and M. N. Sela

393 Non-Decay Type Fast-Setting Calcium Phosphate Cement: Hydroxyapatite Putty Containing an Increased Amount of Sodium Alginate
K. Ishikawa, Y. Miyamoto, M. Takechi, T. Toh, M. Kon, M. Nagayama, and K. Asaoka

400 Tumor Necrosis Factor-α and Interleukin-6 Release from White Blood Cells Induced by Different Graft Materials *In Vitro* are Affected by Pentoxifylline and Iloprost
P. Swartbol, L. Truedsson, H. Pärsson, and L. Norgren

407 Biodegradation of a Poly(ester)urea-urethane by Cholesterol Esterase: Isolation and Identification of Principal Biodegradation Products
G. B. Wang, R. S. Labow, and J. P. Santerre

418 Ultrastructural Features of the Bone Response to a Plasma-Sprayed Hydroxyapatite Coating in Sheep
J. Hemmerlé, A. Önçag, and S. Ertürk

426 Announcements

September 15, 1997
Volume 36
Issue No. 4

429 Scanning Electron Microscopy of the Bone–Bioactive Implant Interface
J. E. Davies and N. Baldan

441 Bending and Fracture Toughness of Woven Self-Reinforced Composite Poly(methyl methacrylate)
D. D. Wright, E. P. Lautenschlager, and J. L. Gilbert

454 Mechanical and Morphologic Investigation of the Tensile Strength of a Bone–Hydroxyapatite Interface
J. T. Edwards, J. B. Brunski, and H. W. Higuchi

469 Fiber–Matrix Interface Studies on Bioabsorbable Composite Materials for Internal Fixation of Bone Fractures. I. Raw Material Evaluation and Measurement of Fiber–Matrix Interfacial Adhesion
M. A. Slivka, C. C. Chu, and I. A. Adisaputro

478 Crosslinking Density and Resorption of Dimethyl Suberimidate-treated Collagen
V. Charulatha and A. Rajaram

487 Effect of Saline Exposure on the Surface and Bulk Properties of Medical Grade Silicone Elastomers
J. J. Kennan, Y. A. Peters, D. E. Swarthout, M. J. Owen, A. Namkanisorn, and M. K. Chaudhury

498 Effects of Balloon Dilatation on ePTFE Structural Characteristics
D. L. Salzmann, D. C. Yee, D. J. Roach, S. S. Berman, and S. K. Williams

508 Reduction of Surface-Induced Platelet Activation on Phospholipid Polymer
Y. Iwasaki, A. Mikami, K. Kurita, N. Yui, K. Ishihara, and N. Nakabayashi

516 Porous-Coated Titanium Implant Impregnated with a Biodegradable Protein Delivery System
C. M. Agrawal, A. Pennick, X. Wang, and R. C. Schenck

522 Solubility Product of OH-Carbonated Hydroxyapatite
A. Ito, K. Maekawa, S. Tsutsumi, F. Ikazaki, and T. Tateishi

529 Effect of Femoral Head Diameter on Tissue Concentration of Wear Debris
K. Hirakawa, T. W. Bauer, Y. Hashimoto, B. N. Stulberg, A. H. Wilde, and M. Secic

536 Polycaprolactone/Glass Bioabsorbable Implant in a Rabbit Humerus Fracture Model
K. J. Lowry, K. R. Hamson, L. Bear, Y. B. Peng, R. Calaluce, M. L. Evans, J. O. Anglen, and W. C. Allen

542 Hydrophilicity of Polymers and Soft Tissue Responses: A Quantitative Analysis
J. A. Hunt, G. Meijs, and D. F. Williams

550 Chemical Stability of Polyether Urethanes Versus Polycarbonate Urethanes
M. C. Tanzi, D. Mantovani, P. Petrini, R. Guidoin, and G. Laroche

560 Long-Term Ingrowth and Apposition of Porous Hydroxylapatite Implants
C. R. Nunes, S. J. Simske, R. Sachdeva, and L. M. Wolford

564 Subcutaneous Tissue Distribution of Vancomycin from a Fibrin Glue/Dacron Graft Carrier
K. Fujimoto, K. Yamamura, T. Osada, T. Hayashi, T. Nabeshima, M. Matsushita, N. Nishikimi, T. Sakurai, and Y. Nimura

568 Announcements

570 Author Index to Volume 36

575 Subject Index to Volume 36

I Volume Contents